

SpacePort Evaluation Kit

SpacePort Evaluation Kit can be used to evaluate the Radiometrix SpacePort, Radio Packet Controller modules. LED indicators are provided to show system status and to facilitate range testing and installation site surveys. Internal EEPROM values can be configured through parallel port connection to PC using RPC Development Kit Software.



Figure 1: SP2-433-160 in SpacePort Eval Kit

Features

- A pair of Evaluation PCBs to evaluate SP2, RPC and FRPC modules
- Direct interface to Parallel port
- Visual indications of operational mode and test results through LEDs
- Access to internal diagnostic/Test modes and EEPROM using RPC Development Kit Software
- All I/O are brought out with adjacent headers for developing applications and analyzing signals
- PP3 9V Battery operation makes the board portable for easy wireless evaluation

Kit contents

- 2 SP2-433-160 modules (RPC or FRPC should be ordered separately)
- 2 Evaluation boards
- 2 1/4 wavelength whip antennas (433MHz)
- 2 9V battery (PP3)
- 1 BiM2 data sheet
- 1 SP2 data sheet
- 1 SP2 Evaluation Kit manual

Optional requirement

- DB25M-DB25F parallel extension/straight through cable
- PC/laptop with ECP parallel port with MS-DOS, Win3.X, Win95/98.
- RPC Development Kit Software

The following status LEDs will be activated depending on which mode is selected:

| LED | Indication |
|----------------------|-------------------------------------|
| TX (Red): | Transmitter enabled |
| RX (Green): | Receiver enabled |
| Power (Green): | Evaluation Kit is switched on |
| SIGNAL (bright Red): | Valid preamble detected |
| OK (bright Yellow): | Valid packet received / Test passed |

1. Standalone Operation

This mode selects the internal diagnostics modes built into the RPC, FRPC or SP2.

Set-up

- Connect the 1/4 wavelength antenna into the antenna terminal on the evaluation board. Plug the SP2 into the DIL socket marked SpacePort. RPC/FRPC should be plugged in with RPC/FRPC IC facing the Evaluation Kit and shielding can or module facing the other way.
- Connect a 7.5VDC-24VDC supply or 9V battery to the supply input terminals and slide the power switch to ON position.
- Put the DEBUG jumper on and press 'Reset'
- The Hex switch selects the required debug mode 0 to 8. A reset is not required after a mode change.

Digital Storage Oscilloscope probes can be connected to TXD/AF, TX, RX to monitor data transmission to and from RF circuit. Probes can be connected to TXR, TXA, RXR, RXA and D3:D0 data lines to monitor data upload/download from/to Host/PC.

1.1 Diagnostic Modes

| Mode | Name | Function |
|------|-----------|--|
| 0 | RX-ON | Preamble detector ON (SIGNAL LED lit = valid preamble detected) |
| 1 | RX-PULSE | 10ms on: 10ms off, preamble detector on SIGNAL LED |
| 2 | TX-ON-PRE | Preamble modulation – transmit continuous preamble |
| 3 | TX-ON-SQ | 100Hz square wave modulation, for TX testing using spectrum analyser, etc. |
| 4 | TX-ON-255 | random 160kbps data for eye diagram tests, sync on RXR |
| 5 | TX-PULSE | Preamble bursts (EE 01h setting): 10ms OFF, RX lock in tests |
| 6 | ECHO | Transponder mode, unit re-transmits any valid packets received |
| 7 | RADAR | Send ASCII test packet "RADIOMETRIX / TEST PACKET WITH 60 DATA BYTES / RPC32 V3.0 XX" and listen for echo. XX is packet number |
| 8 | SELF-TEST | Local loop test, TX → RX (OK on RXR). Not available in SP2 |

Mode 0 - Preamble Detector

In this mode, receiver circuit is continuously powered up (RX LED on) and if preamble, 80kHz or 160kbps square wave signal is detected the SIGNAL line is pulled low lighting the SIGNAL LED to indicate valid Preamble is detected. RXR will also be pulled low lighting the OK LED to indicate a pass.

If the RESET jumper is inserted, then the internal Fast Radio Packet Controller will be disabled enabling the internal BiM2 equivalent receiver circuit to function independently.

Mode 1 - Pulsed Receiver

Receiver is switched on for 10ms and SP2 checks for preamble. If preamble is detected the SIGNAL line is pulled low. This will light up the SIGNAL LED. If not, the Receiver is turned off for 10ms and the process is repeated. OK LED will also light up to indicate a pass. This mode can be used to test the power up time and settling time of the receiver circuit.

Mode 2 - Transmit Preamble Modulation

Transmitter is turned on continuously and preamble (160kbps square wave) is transmitted. This complement mode can be used with Mode 0 as a pair.

If the RESET jumper is inserted, then the internal Fast Radio Packet Controller will be disabled enabling the internal BiM2 equivalent transmitter circuit to function independently.

Mode 3 - Transmit 100Hz (200bps) square wave modulation

Transmitter is turned on continuously and 100Hz square wave signal is transmitted which can be used to estimate the FM deviation and power levels of the RF transmitter circuit using a spectrum analyser.

Mode 4 - Transmit Random Code

Transmitter is turned on and the carrier is modulated by a 8 bit maximal length (255) pseudo-random code at 6.25 μ s per bit (at 160kbps). On the receiving end, the data output AF line can be connected to an Oscilloscope to obtain an eye diagram.

An eye diagram is an oscilloscope display in which a pseudo-random data signal from AF output of a receiver is repetitively sampled and applied to the vertical input, while the data rate (RXR) on the transmitting unit is used to trigger the horizontal sweep.

System performance information can be derived by analyzing the display. The horizontal width of the lines gives the jitter (phase noise) and the rise and fall times of the data pulses can be measured from the "crossings". An open eye pattern corresponds to minimal signal distortion. Distortion of the signal waveform due to intersymbol interference and noise appears as closure of the eye pattern.

Mode 5 - Pulsed Preamble Transmitter

The transmitter is turned on and normal preamble (length used for normal data transmission) is sent. Then transmitter is turned off and waits for 10ms before another cycle. This is used to measure the lock in time of the receiver.

Mode 6 - Echo/Transponder

Receiver is turned on to check for preamble and if a preamble is found, then receiver locks on to the data and receives the data packet. SIGNAL LED will be turned on if valid preamble is detected. Then error check is carried out and if it passes, the OK LED is turned on. Receiver waits for a Transmit to Receive Change Over Delay period. Then it retransmits (echoes back) the packet to the transmitter.

Echo or transponder mode is very useful for remote loop-back testing of user host software and for "ping-pong" range testing in conjunction with the other development board in RADAR mode.

Mode 7 - Radar

Transmitter is turned on and sends a packet **RADIOMETRIX / TEST PACKET WITH 60 DATA BYTES / RPC32 V3.0 XX** as test data where XX will be a Packet Counter. Then transmitter is turned off and receiver is turned on. Unit on this mode checks for preamble and if it finds a valid preamble, then it locks on to the data and receives the packet. Then error check is carried out and if it passes, the OK LED is turned on.

Even if a valid packet was not received, it will continue the above process but the packet counter value will be increased with each transmission.

This mode can be used along with Mode 6 (Echo Mode) to function as a 'Pin-Pong' system. This provides a very effective method for Range Testing and Antenna Type Evaluation. If one eval kit is set to Mode 6, then other eval kit can be set to Mode 7. By walking around the site where the final product based on the Radiometrix Modules are going to be used, the range and antenna type requirements, interference, etc could be identified well in advance. The OK LED will be continuously lit with no flickering as long as the 'Ping-Pong' the units are within reliable radio range and the wireless link is error free.

Mode 8 - Local Loop Test

This mode is not available in SpacePort or Fast Radio Packet Controllers. This mode puts a single Radio Packet Controller into a local loop back (both transmitter and receivers are turned on). A test code pattern is continuously sent and recovered. The OK LED will light to indicate a pass. This mode is used to evaluate receiver and its Adaptive Data Slicer.

Mode F - Normal RPC Mode

DEBUG jumper should be removed and the RESET button should be depressed to exit from Debug mode to normal SpacePort operation. Therefore, Spaceport can be interfaced with Host Microcontroller or a PC to send/receive data packets.

2. Transceiver Operation

If RESET jumper is inserted, the internal Packet Controller IC will be RESET leaving direct access to raw RF Transceiver. Jumper across RX-GND will enable receiver circuit and jumper across TX-GND will enable transmitter circuit.

3. PC or Laptop Operation

Set-up

- Connect the antenna into the antenna terminal on the development board and also plug the SP2 into the socket.
- Connect a DC supply/9V battery to the supply input terminals and switch on.
- Connect the development board to the LPT port of a PC or Laptop with DB25M-DB25F parallel extension/straight through cable
- Remove debug jumper.
- Download the RPC Development Kit software files into a suitable directory on your hard disk.
http://www.radiometrix.co.uk/products/rpceval/rpc_soft.htm

Software Overview:

The RPC Development Kit software gives immediate access to a Radiometrix SP2 module and enables simple ASCII message transmission/reception. The software will display the EEPROM memory map of the SP2 which can be changed to configure the SP2 parameters.

For Bidirectional PS/2 or Extended Capabilities Port (ECP) in new PCs

It contains the following files:

| | |
|-----------------|---|
| DEMO.BAT | Batch file to set the Byte Mode or PS/2 Mode in ECP before running SP2 software |
| (Run this file) | |
| RPC-BI.EXE | main PS/2 SP2 driver program |
| RPC.DAT | ASCII data file holds system information used by SP2-BI.EXE |
| D.A | sample ASCII test files |
| D.B | |
| D.C | |
| D.D | |
| D.E | |

The main program RPC-BI.EXE is designed to run under MS-DOS 3.3 or higher on any IBM PC or compatible with printer port set to ECP mode.

Using this program it is possible gain access to the onboard EEPROM to evaluate the extended functionality provided via the Reserved Memory settings and to also read/write the User EEPROM area.

The program provides a set of commands allowing the user to operate the SP2 module. These command functions enable the user to include send and receive messages, write to EEPROM memory, send continuous messages to the SP2 and enable the 7 SP2 debug modes.

Upon start-up of the utility if an SP2 is connected to the parallel port and is working, the Reserved Memory and User Memory areas of the display will be updated.

The Outgoing and Incoming message area can be expanded or reduced as the user requires by pressing the TAB key (or alternatively entering switchH at the command prompt). This has the effect of either

hiding or showing the user memory area. In order to view the help list properly the display needs to be in the expanded mode.

Messages sent from the SP2 are displayed under the Outgoing (TX) message heading to the left of the display. Messages received by the SP2 are displayed under the Incoming (RX) heading to the right of the display.

Command set:

The following list has been taken from the RPC demonstration program and details the commands which are available for evaluating the SP2.

| <i>COMMAND</i> | <i>DESCRIPTION</i> |
|-------------------------------------|---|
| R eset [n] | Reset the SP2; Test mode (n = 0 - 8) |
| r ea D address | Read from memory address (Addr = 00 - 3F) |
| S end [\$] string | Transmit string via SP2; \$ selects preamble |
| W rite address data | Write data to SP2 memory address (00 - 3F) |
| C lear | Clear the display output window |
| s witch H or <TAB> | toggle memory display window On/Off |
| F ile [delay] file [file...] | Send a file(s) to the SP2 delay = delay between files (0.25s increments) |
| T est | execute the file send test list |
| s to P or <^X> | to stop repeating file send (Test & File) |
| H elp | Display this help information |
| e Xit or <F3> | Exit from this demo program |
| <ESC> | Erase current command line |
| <TAB> | Switch display between memory and output |

- note:*
1. The capital letter in each command may be used in place of the full word.
 2. All values required by specific commands should be entered in hex.

Commands in Detail:

Note: Square brackets [] means the argument(s) are optional.
Angle brackets <> means the argument(s) are required.
The capital letter in the command represents an abbreviation of that command.

| | |
|--------------------------------|---|
| R eset [0-8] | send a RESET to the SP2. sets the SP2 into the specified demo mode. <ul style="list-style-type: none">• <i>example:</i> >R reset SP2 >R7 reset SP2 into debug mode 7 (RADAR) |
| r ea D <address> | read the EEPROM memory at location <address> the address should be in the range of 0x00 - 0x3F <ul style="list-style-type: none">• <i>e.g.:</i> >read 20 |
| S end [\$] <string> | Transmit the given string via the SP2. Preceding the string with a \$ sign will enable extended preamble to be used when transmitting the packet. If more than 27 bytes of data are entered on the command line, the string will be broken into 2 SP2 packets and transmitted. <ul style="list-style-type: none">• <i>example:</i> >S THIS IS A TEST send 'THIS IS A TEST' >\$\$Is any body out there ? ; extended preamble |
| W rite <addr> <data> | Write data to the specified SP2 EEPROM location. The allowable memory range is from 0x00 to 0x3F. Data represents a single byte between 0x00 - 0xFF. <ul style="list-style-type: none">• <i>example:</i> >W 00 4 writes 04h into SWITCHES (00h) >W 08 80 will set PS1 on reset |

| | |
|-----------------------------|--|
| eXit or <F3> | Typing either EXIT or X, or pressing F3 will exit from the demonstration program back to the command prompt. |
| Clear | Clear the display output window. |
| stoP or <^X> | Stop the repeating file send (Test & File commands). |
| Help | Display this help information as shown in section SP2DEMO commands. |
| <TAB> | Switches the display between the memory display and the expanded output display. |
| <ESC> | Clear the current command line |
| File [delay] file [file...] | <p>Send a file to the SP2. A maximum of 3 files can be given on the command line. The file names should contain only alpha characters (e.g. fred1.txt <- not allowed. freda.txt <- allowed). The [dly] enables a delay of between 0x00 and 0xFF seconds between files being sent. Using the delay will enable the files to be repeated continuously using the delay value between them. Without the delay value the file(s) will only be sent once. This is NOT a file transfer function. i.e.; it will not copy the file to the destination.</p> <p>If any lines in the file contain more than 27 bytes, the line will be broken into multiple blocks of 27 bytes. They will NOT be reassembled into full lines by the receiver.</p> <ul style="list-style-type: none"> • e.g. file 2 autoexec.bat config.sys • <i>example:</i> >F SP2.DOC transmits this file |
| Test | <p>Execute the test file command line from the SP2.DAT file. See SP2 Configuration File details later for a description of SP2.DAT command line used with this command.</p> <ul style="list-style-type: none"> • <i>example:</i> >T repetitively sends the test files. |

SP2 Configuration File:

The demonstration program requires a configuration file. This file is called SP2.DAT. Following is an example SP2.DAT file:

```
PORT = 378
COLOUR = 1
FILE = 8 d.a d.b d.c d.d d.e
```

```
PORT = <xxx>
```

This entry determines the base address of the PC printer port.
The value is entered as a hex value.

```
COLOUR = <0 | 1>
```

This is a Boolean of either 0 or 1.
Setting this entry to 0 disables the colour display. i.e.; all output will be in black and white.
This is suitable for a monochrome display device such as a laptop.
Setting this entry to 1 will enable the coloured output.

```
FILE = <delay> <file1> <file2> <file3>
```

This entry has the same format as the FILE command.
It is the command line used when the TEST command is entered.

Appendix A Using a printer port to drive the SP2.

For New PCs: Bi-directional Port (PS/2)

Port requirement 8 bit bi-directional PS/2
(PS/2 or ECP set to PS/2 Mode / Byte Mode)

In PS/2 Mode, Status Lines are used for Control line input from SP2 (RXR, TXA) and Printer Port Control Lines are used to output the SP2 Control signals (RXA & TXR). In Bidirectional PS/2 mode, Printer port data lines can be used as SP2 data lines in bidirectional mode.

Most of the PCs come with Extended Capabilities Port (ECP). ECP can be set to operate in PS/2 compatible bidirectional mode. Program supplied with bidirectional version will automatically change the mode from ECP to PS/2 and change it back to ECP when the RPC Dev Kit software is closed.

| SP2 name | End pin | | Bidirectional pin | Port Register bit | Port End pin labels |
|---------------|---------|---|-------------------|-------------------|---------------------|
| GND | 1 | — | 18 to 25 | | Ground |
| D0 | 2 | ↔ | 2 | D0 | Data 0 |
| D1 | 3 | ↔ | 3 | D1 | Data 1 |
| D2 | 4 | ↔ | 4 | D2 | Data 2 |
| D3 | 5 | ↔ | 5 | D3 | Data 3 |
| TXR | 6 | ← | 1 | C0 | Strobe |
| TXA | 7 | → | 12 | S5 | Paper Out |
| RXR | 8 | → | 13 | S4 | Printer Selected |
| RXA | 9 | ← | 14 | C1 | Auto Linefeed |
| RES | 10 | ← | 16 | C2 | Initialise Printer |
| 5V | 11 | ← | +5V supply | | |
| GND | 12 | ← | 0V supply | | |
| +ve interrupt | | → | 10 | S6 | Acknowledge |

PC Printer port registers
(addresses given for base address of 0378h)

| | | | | | | | | | |
|------|---------------|----|----|----|----|----|----|----|----|
| 0378 | data register | b7 | b6 | b5 | b4 | b3 | b2 | b1 | b0 |
| | | - | - | - | - | D3 | D2 | D1 | D0 |

| | | | | | | | | | |
|------|-----------------|----|-----|-----|-----|----|----|----|----|
| 0379 | status register | b7 | b6 | b5 | b4 | b3 | b2 | b1 | b0 |
| | | | int | TXA | RXR | | | | |

| | | | | | | | | | |
|------|------------------|----|----|-----|-----|----|-----|-----|-----|
| 037A | control register | b7 | b6 | b5 | b4 | b3 | b2 | b1 | b0 |
| | | - | - | dir | Ien | - | RES | RXA | TXR |

For Extended Capabilities Port (ECP) only

| | | | | | | | | | |
|------|---------------------------------|----|----|----|----|----|----|----|----|
| 077A | Extended Control Register (ECR) | b7 | b6 | b5 | b4 | b3 | b2 | b1 | b0 |
| | | 0 | 0 | 1 | - | - | - | - | - |

Printer Port can be configured to operate in ECP mode by changing the Printer Port setting in BIOS from SPP or EPP to ECP. BIOS setup can be accessed by pressing DEL key for AWARD BIOS or F1 for AMI BIOS when booting the computer. Parallel Port settings can be changed in the Integrated Peripherals section of the BIOS setup.

However, it may be necessary to change it back to SPP or EPP mode for some printers to operate properly.

int +ve transition interrupt bit, see "interrupt drive"
Ien bit is internal interrupt enable, not used if polling used
1 = interrupt enable, 0 = disabled (polled operation)

note RXA and TXR pins are inverted drives from the register ie a 1 in the control register gives a 0 on the pin all other registers / bits are true.

Appendix B: Sample SP2 Driver subroutines for a PIC Host




Figure 3: SpacePort Evaluation Kit interfaced to a PIC16F870 host microcontroller

SP2 Evaluation Kit can be interfaced to a Host PIC microcontroller as shown above. PIC16F870 has PortB with 8 I/O pins which can be assigned to communicate with SP2 Eval Kit. UART in PortC can be interfaced to a Serial COM Port via an RS232 driver.

The following subroutines may be used by a PIC16F870 host microcontroller to upload serial data it received from its serial port to SP2 and download the data packet from SP2 and send it out via its serial port to a PC.

OUT_BYTE & IN_BYTE

Additionally LISTEN_BUS is called on completion of a packet transfer to the SP2 to return the data bus to high impedance input mode (default state).

```

        list  p=16F870    r=hex
;
; STANDARD EQUATES - dedicated data file locations - PAGE 0
;
INDF      EQU      0          ; INDIRECT CALL , OPCODE WILL USE FSR
                          (4H) AS FILE POINTER
STATUS    EQU      3          ; STATUS BITS
RP0       EQU      5          ; file page 0=PAGE 0 , 1=PAGE 1 e.g.
                          DDR's etc.
FSR       EQU      4          ; file pointer (indirect file address
                          register)
;
PORTA     EQU      5          ; i/o port A - 5 Bits , Free for HOST
                          applications program use.
;
SP2       EQU      6          ; USE PORT B ON PIC FOR SP2 INTERFACE

; Bit assignments for SP2 PORT
D7        EQU      7          ; Bi-Dir data , D3
D6        EQU      6          ; Bi-Dir data , D2
D5        EQU      5          ; Bi-Dir data , D1
D4        EQU      4          ; Bi-Dir data , D0
TXA       EQU      3          ; INPUT , active low TX accept from SP2
TXR       EQU      2          ; OUTPUT , active low TX request to SP2
RXA       EQU      1          ; OUTPUT , active low RX accept to SP2
RXR       EQU      0          ; INPUT , active low RX request from
                          SP2,(interrupt if required)
;
;
; STANDARD EQUATES - dedicated data file locations - PAGE 1
;
TRISA     EQU      85         ; I/O direction reg ,portA 1= i/p 0= o/p
SP2_DDR   EQU      86         ; Data direction register for portB (SP2)

```

```

ORG      0
ONRESET  GOTO    START      ; jump to main program
;
; Initialise PORT B to drive SP2.
;
START    BSF     STATUS,RP0  ; select Bank 1
        MOVLW   B'11111001' ; TXR & RXA O/P, Rest as inputs
        MOVWF   SP2_DDR
        BCF     STATUS,RP0  ; select bank 0
;
; SUBROUTINE - IN_BYTE
;
; IN_BYTE - READ A BYTE FROM THE SP2 INTO FILE (REGISTER) POINTED TO BY FSR
;          W IS DESTROYED
;
; NOTE - THIS ROUTINE WILL HANG THE HOST UNTIL THE HOST
;        COMPLETES THE TRANSFER OF TWO NIBBLES
;
; - THIS SUBROUTINE CAN BE CONFIGURED TO RUN
;   AS PART OF AN INTERRUPT HANDLER IF THE RXR
;   LINE FROM THE SP2 IS USED TO TRIGGER A HOST INTERRUPT
;
IN_BYTE  BTFSC   SP2,RXR     ; WE GOT A RX REQUEST YET ?
        GOTO    IN_BYTE     ; NO , SO LOOP BACK AND WAIT
;
;          READ THE LS NIBBLE FROM THE SP2
        BCF     SP2,RXA     ; ACCEPT THE REQUEST (SET ACCEPT LOW)
;
AWAITDATA BTFSS   SP2,RXR     ; HAS REQUEST GONE UP ? i.e. data is
;                               present
        GOTO    AWAITDATA   ; LOOP BACK TILL IT DOES
;
        NOP                ; TIME DELAY TO ENSURE DATA STABLE BEFOR
;                               READ
        MOVF    SP2,W        ; READ THE LS NIBBLE FROM THE BUS
        BSF     SP2,RXA     ; TELL SP2 WE GOT NIBBLE (ACCEPT = 1)
        ANDLW   B'11110000' ; JUST THE DATA
        MOVWF   INDF        ; SAVE LS NIBBLE IN TARGET FILE (VIA FSR)
        SWAPF   INDF        ; MOVE THE NIBBLE TO LS POSITION
;
;          NOW GET MS NIBBLE FROM THE SP2
INNIBBLE BTFSC   SP2,RXR     ; WE GOT NEXT RX REQUEST YET ?
        GOTO    INNIBBLE    ; NO , SO LOOP BACK AND WAIT
;
        BCF     SP2,RXA     ; ACCEPT REQUEST (SET ACCEPT LOW)
;
AWAITD1  BTFSS   SP2,RXR     ; HAS REQUEST GONE UP ? i.e. data is
;                               present
        GOTO    AWAITD1     ; LOOP BACK TILL IT DOES
;
        NOP                ; TIME DELAY TO ENSURE DATA STABLE BEFORE
;                               READ
        MOVF    SP2,W        ; READ THE MS NIBBLE FROM THE BUS
        BSF     SP2,RXA     ; TELL SP2 WE GOT NIBBLE (ACCEPT=1)
        ANDLW   B'11110000' ; JUST THE DATA
        IORWF   INDF        ; COMBINE MS NIBBLE WITH LS NIBBLE
;                               ;ALREADY IN THE FILE (VIA FSR)
        RETURN
;          A BYTE HAS BEEN READ FROM THE SP2 INTO ADDRESS POINTED AT BY FSR
;-----

```

```

; SUBROUTINE - OUT_BYTE
;
;   OUT_BYTE - WRITE A BYTE FROM FILE POINTED TO BY FSR TO SP2
;             W IS DESTROYED
;
;   NOTE - THIS ROUTINE WILL HANG THE HOST UNTIL THE SP2
;          ACCEPTS THE TRANSFER OF TWO NIBBLES
;
;   WARNING - OUT_BYTE WILL SET THE DATA BUS TO DRIVE AFTER DETECTING
;            A TXA FROM THE SP2.
;            THE CALLING ROUTINE MUST SET 4 DATA LINES BACK TO I/P
;            ON COMPLETION OF PACKET TRANSFER (i.e. call LISTENBUS)
;
OUT_BYTE      SWAPF      INDF,W          ; GET LS NIBBLE FROM FILE (VIA FSR) INTO
;                                           ; BITS 4 to 7 of W
              ANDLW     B'11110000'    ; JUST THE NIBBLE
              IORLW     B'00000010'    ; SET TXR LOW, LEAVE RXA HIGH
              MOVWF     SP2             ; SET TXR LOW , OUTPUT NIBBLE
WACCEPT      BTFSC     SP2,TXA         ; WE GOT A TX ACCEPT BACK YET ?
              GOTO      WACCEPT        ; NO , SO LOOP BACK AND WAIT
;
;   WE GOT ACCEPTANCE SO IT'S OK TO DRIVE BUS
              BSF       STATUS,RP0     ; SELECT PAGE 1
              MOVLW     B'00001001'    ; DRIVE BUS
              MOVWF     SP2_DDR
              BCF       STATUS,RP0     ; SELECT PAGE 0 BUS IS NOW DRIVING
;
              BSF       SP2,TXR        ; REMOVE REQUEST, DATA IS ON BUS
WDUN         BTFSS     SP2,TXA         ; HAS DATA BEEN READ ?
              GOTO      WDUN           ; WAIT TILL SP2 REMOVES ACCEPT
;
;   LS NIBBLE OF (FSR) IS SENT , NOW DO MS NIBBLE
              MOVF      INDF,W         ; GET MS NIBBLE FROM FILE (VIA FSR)
              ANDLW     B'11110000'    ; JUST THE MS NIBBLE
              IORLW     B'00000010'    ; SET TXR LOW (BIT 2), RXA STAYS HIGH
              MOVWF     SP2           ; OUTPUT NIBBLE + TXR LOW
WACCEPT1     BTFSC     SP2,TXA         ; WE GOT A TX ACCEPT BACK YET ?
              GOTO      WACCEPT1      ; NO , SO LOOP BACK AND WAIT
              BSF       SP2,TXR        ; REMOVE REQUEST, DATA IS ON BUS
WDUN1        BTFSS     SP2,TXA         ; HAS DATA BEEN READ ?
              GOTO      WDUN1         ; WAIT TILL SP2 REMOVES ACCEPT
;
              RETURN                  ;   BYTE IS SENT TO SP2
;-----
; SUBROUTINE - LISTEN_BUS , SET DATA BUS TO INPUT
;
LISTEN_BUS   BSF       STATUS,RP0     ; SELECT PAGE 1
              MOVLW     B'11111001'    ; BUS TO INPUT
              MOVWF     SP2_DDR
              BCF       STATUS,RP0     ; SELECT PAGE 0
              RETURN
;
              BUS IS LISTENING TO SP2
;-----
END

```

Radiometrix Ltd

**Hartcran House
231 Kenton Lane
Harrow, Middlesex
HA3 8RP
ENGLAND**

Tel: +44 (0) 20 8909 9595

Fax: +44 (0) 20 8909 2233

sales@radiometrix.com

www.radiometrix.com

Copyright notice

This product data sheet is the original work and copyrighted property of Radiometrix Ltd. Reproduction in whole or in part must give clear acknowledgement to the copyright owner.

Limitation of liability

The information furnished by Radiometrix Ltd is believed to be accurate and reliable. Radiometrix Ltd reserves the right to make changes or improvements in the design, specification or manufacture of its subassembly products without notice. Radiometrix Ltd does not assume any liability arising from the application or use of any product or circuit described herein, nor for any infringements of patents or other rights of third parties which may result from the use of its products. This data sheet neither states nor implies warranty of any kind, including fitness for any particular application. These radio devices may be subject to radio interference and may not function as intended if interference is present. We do NOT recommend their use for life critical applications.

The Intrastat commodity code for all our modules is: 8542 6000.

R&TTE Directive

After 7 April 2001 the manufacturer can only place finished product on the market under the provisions of the R&TTE Directive. Equipment within the scope of the R&TTE Directive may demonstrate compliance to the essential requirements specified in Article 3 of the Directive, as appropriate to the particular equipment.

Further details are available on The Office of Communications (Ofcom) web site:

http://www.ofcom.org.uk/licensing_numbering/radiocomms/licensing/licensing_policy_manual/

Information Requests

Ofcom

Riverside House

2a Southwark Bridge Road

London SE1 9HA

Tel: +44 (0) 845 456 3000 or 020 7981 3040

Fax: +44 (0) 20 7783 4033

information.requests@ofcom.org.uk

European Radiocommunications Office (ERO)

Peblingehus

Nansensgade 19

DK 1366 Copenhagen

Tel. +45 33896300

Fax +45 33896330

ero@ero.dk

www.ero.dk
